

Symphony 64

PCIe Card for Apogee Interfaces

User's Guide

V1.1 - November 2008



Symphony 64

User's Guide

Table of Contents

Introduction	1
Getting Started	2-10
Check the Package Contents	2
Install the Symphony 64 Card / Jumper Settings	2-3
Connect the Symphony 64 PCIe card to Apogee Interfaces	4-5
Word Clock Connections - Multiple Apogee Interfaces	6-7
Install Software and Drivers	8
Initial Configuration	8
Configure Symphony 64 with Apple Logic Pro 8	10
Other Settings on your Mac	10
Using Symphony SBus to Interconnect Apple Computers	12-17
Configuring Multiple Macs with SBus	14-17
Troubleshooting	18-20
Hardware Interface Combinations	21-33
Rosetta 200	21
1 AD-16X, 1 DA-16X	22
1-4 Rosetta 800s	23
1 AD-16X, 1DA-16X (std routing), Rosetta 800	24
1-2 AD-16Xs (std or adv routing)	25
1-2 DA-16Xs (std or adv routing)	26
Rosetta 800, 1 AD-16X (std routing)	27
1 AD-16X (std or adv routing), Rosetta 800	28
Rosetta 800, 1 DA-16X (std routing)	29
1 DA-16X (std or adv routing), Rosetta 800	30
2 Mac Pros, 1 AD-16X + 1DA-16X per Mac	31
8 AD-16Xs, 8 DA-16Xs (std routing)	32-33
Maestro	34-51
Control Window/Settings Pane	34-37
Input and Output Panes	38-42
Mixer Pane	42-49
Menu by Menu	50-51
Installing the X-Symphony Card	52

Introduction

The Symphony 64 PCIe card is quite simply the most cost effective and flexible way to connect Apogee hardware interfaces to Apple Mac Pro computers. Additionally, Symphony 64 allows the interconnection of Mac computers to create powerful digital audio networks.

Symphony 64 features include:

- Up to 128 channels of 24-bit 192 kHz I/O
- Extremely low system latency
- Supports Apogee Rosetta 800, Rosetta 200, AD-16X and DA-16X hardware
- Simple, one cable interface between any Apple Mac Pro and Apogee hardware
- Compatible with any CoreAudio application
- Apogee VBus - virtual routing within a CoreAudio application or between multiple applications.
- Apogee SBus - 32 channel per port, 192 kHz digital audio network between Apple Macintosh computers

The system consists of:

- Symphony 64 PCIe card
- A compatible Apogee hardware interface equipped with an X-Symphony option card
- PC-32 cables between interfaces and to the Apple Mac Pro
- Apogee Maestro routing and low latency mixer application

System Requirements

- Apple Mac Pro computer, running OS X 10.4.11, 10.5.3 or greater.
- Minimum 2 GB of memory, 4 GB recommended.
- Apogee Rosetta 800, Rosetta 200, AD-16X, or DA-16X equipped with an X-Symphony option card (the X-Symphony card must be running v2.0 firmware or greater).

Please see pages 21-33 for supported Apogee hardware combinations.


Important Compatibility Information

- Symphony 64 and Symphony32 cards and drivers may not be installed on the same computer
- X-Symphony option cards must be running v2.7 firmware or greater.
- To connect a Symphony Mobile card to a Symphony 64 card via SBus, the Mobile system must be running firmware, software and drivers dated October 2008 or later.

Getting Started

1 Check the Package Contents


The following items should be included in your Symphony 64 package:



2 Install the Symphony 64 PCIe Card

Before installing Symphony 64 cards in your Mac, it’s necessary to configure the cards as “Master” or “Slave 1” by placing jumpers across headers J9 and J10, as shown in the diagrams below.

- If you’re installing only one card, configure the card as “Master”.
- If you’re installing two cards, configure one card as “Master” and the second as “Slave 1”.




To install the Symphony 64 PCIe card in your Apple Mac computer:

- First, unplug the Mac’s AC cable as a safety precaution.
- Remove the Mac’s side cover.
- Unscrew and remove the Mac’s PCI bracket (see the illustration below).
- Holding the Symphony PCIe card by its corner, align the card’s connector with the desired PCI slot and press the card firmly into place until the gold pins of the edge connector are just visible. If the card does not slide into place with minimal effort, remove the card, check alignment, and check for foreign objects.


Don’t force the card into place.

- If you’re installing two Symphony 64 PCIe cards, install the “Master” card in the slot closest to the video card slot.



- Re-install the PCI bracket to secure the Symphony 64 card.
- If two Symphony 64 cards have been installed, connect the supplied ribbon cable between each card as shown below, making sure to align the key on the ribbon cable connector to the slot on the card socket. Three connectors are present on the ribbon cable, but use the connectors at each end.

- Re-install the Mac’s side panel.



3

Connect the Symphony 64 PCIe card to Apogee Interfaces

Because of the wide range of Apogee interfaces that may be connected to your Symphony 64 card, the details of how hardware interfaces connect to the cards vary according to the specific set of interfaces in use. Please consult the list of supported hardware combinations per Symphony 64 port beginning on page 21, and find the combination page that corresponds to your set of Apogee interfaces.

If you have more than four interfaces to connect, distribute them across multiple Symphony 64 ports so that the group of interfaces connected to each port is a supported combination. For example, if you have 4 AD-16Xs and 1 DA-16X, connect the first AD and the DA as shown on page 22, and connect the remaining ADs as shown on page 25.

2 AD-16Xs, 2 DA-16Xs	page 5
1 AD-16X ,1 DA-16X	page 22
1 to 4 Rosetta 800s	page 23
1 AD-16X, 1 DA-16X, 1 Rosetta 800	page 24
1 to 2 AD-16Xs	page 25
1 to 2 DA-16Xs	page 26
1 Rosetta 800, 1 AD-16X	pages 27-28
1 Rosetta 800, 1 DA-16X	pages 29-30

Many of the hardware combinations which include AD-16Xs and DA-16Xs support the interfaces’ “Standard” and “Advanced” routing modes. Please see page 8 of the AD-16X User’s Guide and page 7 of the DA-16X User’s Guide for an explanation of these routing modes.

Hardware Combination Example Page

An example page, the hardware combination of 2 AD-16Xs and 2 DA-16Xs, is shown at right. Each page is organized into the following sections:


- Summary - A short paragraph describes the unique characteristics of the specific combination shown.
- PC-32 Connections - This diagram depicts the order of PC-32 connections for the specific combination.
In general, the Master PCIe card’s **Channels 1-32** port is connected to the first unit’s **Main** port using the 3 meter PC-32 cable included with the Symphony 64 card; the first unit’s **Thru** port is connected to the second unit’s **Main** port using the 0.5 meter cable included with the X-Symphony option card, and so on until all depicted connections are made.
PC-32 cables lengths of up to 30 meters between the Mac and hardware interfaces are supported at sample rates of 44.1-96 kHz. Lengths up to 5 meters are supported at sample rates of 176.4-192 kHz. Always use the 0.5 meter cable between hardware interfaces.
- Settings - This section lists the required settings to be made in the included Apogee Maestro software or on Apogee hardware.
- Routing - This diagram depicts the manner in which hardware inputs and outputs are routed to software inputs and outputs. In the example shown at right, the first AD’s analog inputs are routed to software inputs 1-16, the second AD’s analog inputs are routed to software inputs 17-32, and the first and second DA are routed in a similar manner.

For these instructions, we’ve assumed that an X-Symphony option card has been installed in each hardware interface. If that’s not the case, please consult pages 52 for instructions how to install X-Symphony cards.

Hardware Combinations - 2 AD-16Xs, 2 DA-16Xs in Standard Routing

Shown below are the PC-32 connections, required settings, and resultant routing when connecting 2 AD-16X and 2 DA-16Xs to the Symphony 64 card’s first port. Of course, it’s possible to connect only 1 AD and DA, in which case software inputs **SymIn** and outputs **SymOut** 17-32 have no hardware connection (though they appear in the input/output list of your software).


PC-32 Connections



Settings

- Set Symphony Source to **Card 1, Port 1 (ch 1-32)**
- Set the AD and DA-16Xs to Standard routing

Routing



4 Word Clock Connections Multiple Apogee Interfaces

As with any digital audio system, all hardware interfaces in your Symphony system must be locked to a common sample clock. Shown below are three clock configuration options, including setup.

Option 1 - Using the First Hardware Interface as Clock Master

- Advantages** - least expensive
- Disadvantages** - BNC “T” connectors may be mechanically unstable;
difficult to integrate other digital devices such as consoles, outboard effects, etc.

- Connect a BNC cable from the first interface's word clock output to a BNC "T" connector installed on the second interface's word clock input. Connect the other side of this BNC "T" connector to the next interface, using additional BNC "T" connectors to extend the chain.
- Continue until all interfaces are connected (as depicted at right), and terminate the last interface's word clock input .
- In Maestro, set **Clock Source Select** to **Internal**.
- Verify that the first interface is locked to internal (INT) and that all other interfaces are locked to word clock (WC). Verify that all interfaces are running at the desired sample rate.
- As configured, the Apogee hardware will follow the sample rate of the Mac.

Option 2 - Using an External Master Clock (such as Apogee’s Big Ben)

- Advantages** - most stability, easy integration of other digital devices
- Disadvantages** - user must manually match the hardware sample rate to the software sample rate

- Connect a word clock cable between outputs of the master clock and each interface’s word clock input as depicted at right. Be sure to terminate all the inputs.
- In Maestro, set **Clock Source Select** to **External**.
- Set the external Master clock to the desired sample rate.
- Verify that all interfaces are locked to word clock (WC).


IMPORTANT - The sample rate of the external clock source must be matched manually to the sample rate of the Mac, as determined by the DAW session or the sample rate setting in Audio MIDI Setup.

Option 3 - First Hardware Interface is Master, Big Ben clocks all remaining interfaces


- Advantages** - most stability, easy integration of other digital devices,
hardware follows software sample rate
- Disadvantages** - When using Rosetta 800s and a Big Ben,
the first Rosetta 800 isn’t clocked to Big Ben.

- Connect a word clock cable between the first unit’s word clock output and Big Ben’s word clock input.
- Connect a word clock cable between Big Ben’s outputs and the remaining interfaces’ word clock inputs. Be sure to terminate all the inputs.
- In Maestro, set **Clock Source Select** to **Internal**.
- Clock Big Ben to its word clock input (WC).


Clock varispeed operation up to +- 4.5% of the nominal sample rate is supported.



Option 1 Correct clocking configuration to the master device’s clock output using BNC “T” connectors



Option 2 Optimum clocking configuration using BIG BEN



Option 3 Configuration using BIG BEN

5 Install Software and Driver

Insert the included CD in your Mac’s optical drive slot and double-click on the Symphony Software Installer icon. Follow the onscreen directions provided by the installer program. Following installation, you will be required to restart your Mac.


Apogee’s Maestro software, offering advanced routing and low latency mixing, will be installed in the Mac’s Applications folder. Please see pages 34-51 for a description of Maestro and its functions.

6 Initial Configuration

- Once the Mac has restarted (following software and driver installation), a **Symphony Configuration** dialog box (**Figure A**) will appear after a few moments. The following two steps are required:
 - **1** If the first interface has been configured as the clock master in step 4, choose **Internal**; if an external clock source is the clock master, choose **External**. Once the proper clock source has been selected, Maestro software should launch automatically.
 - **2** Set **Symphony Source** (found in the Maestro Control window) to the appropriate value based on the number of Symphony 64 ports used:
 - If only port 1 is used, set **Symphony Source** to **PCI Card 1, Port 1 (CHANNELS 1-32)**
 - If ports 1 and 2 are used, set **Symphony Source** to **PCI Card 1, Port 1-2 (CHANNELS 1-64)**
 - If ports 1,2 and 3 are used, set **Symphony Source** to **PCI Cards 1-2, Port 1-3 (CHANNELS 1-96)**
 - If ports 1,2,3 and 4 are used, set **Symphony Source** to **PCI Cards 1-2, Port 1-4 (CHANNELS 1-128)**

Please note that, for space considerations, the ports are numbered 1 to 4 in the **Symphony Source** drop down menu, as shown in **Figure C**.

- Once the **Symphony Source** setting has been correctly configured, verify that all connected hardware appears in Maestro’s Interface drop down menu. If all the interfaces don’t appear, verify on the front panel of each interface that it is running at the correct sample rate and is locked, Check the PC-32 cable connection between the interfaces and the PCIe Cards. Verify that all connected ports are enabled with the **Symphony Source** setting.



- A Mac Sound dialog box (**Figure B**) will also appear. Click “Yes” to use your Symphony system with iTunes, Quicktime, and other CoreAudio compatible audio software.

Figure A




Figure B





Figure C



7 Configure Symphony 64 with Apple Logic Pro 8 (Figure A)

- Open Logic Pro 8 and choose Logic Pro > Preferences > Audio.
- In the Preferences window, select the Devices tab, then the CoreAudio tab.
- Select Symphony 64 in the Device drop down menu.
- Set I/O Buffer Size to 32 for the lowest latency, or to 64 for more DSP resources in Logic (inputs, outputs, plug-ins). Please see below for a few hints on this setting.
- If not checked, check the Enabled box.
- Click on Apply Changes.

The **I/O Buffer Size**, found in the Logic Pro preference window described above, and the **Performance Tuning** setting, found in the Apogee Maestro software, are the two settings that determine the audio latency through your Symphony system. When using Symphony 64 and a Mac Pro, verify that **Performance Tuning** is set to **High Performance**. The **I/O Buffer Size** should be set as low as possible without causing digital audio artifacts such as clicks and pops.

Software Labels (Figure B) It’s possible to customize the input and output labels in Maestro software, and transmit these labels to your digital audio workstation software. Even if you don’t enter your own labels, it’s helpful to use Maestro’s default input and output labels. For example, to use Maestro’s input and output labels in the I/O section of Logic channel strips:

- In Logic choose **Options > Audio > I/O Labels**
- Option-click the first label in the **Provided by Driver** column

8 Other Settings on Your Mac

Sleep Mode - We recommend setting the OS X System Preference **Energy Saver** so that neither the computer nor the display are put to Sleep.




Figure A




Figure B

Using Symphony's SBus to Interconnect Apple Macintosh Computers

In addition to the wide range of hardware interfaces that may be connected to the Symphony 64 card, it's possible to interconnect two Symphony 64 cards installed in separate computers. Each interconnected port offers 32 channels of bidirectional digital audio. Interconnection of Symphony 64 cards is made with the same PC-32 cable used to connect hardware interfaces.

Here are a few examples of the wide range of systems that may be created using Apogee hardware interfaces, Symphony 64 and Symphony Mobile Cards, and Sbus-connected Macs.

Mac Pro to Mac Pro

Figure A depicts the interconnection of 2 Symphony 64-equipped Mac Pros. Hardware interfaces (for example, 1 AD-16X and 1 DA-16X) are connected to port 1 of the first Mac Pro, while the second port is used for an SBus connection to another Mac. One Symphony 64 port must be used to connect hardware, but all remaining ports may be used for SBus connections. If two Symphony 64 cards are installed in each Mac, 96 SBus channels are available between the Macs.


When running Symphony Mobile software, driver and firmware versions dated October 2008 and later, it's possible to interconnect Symphony 64 and Symphony Mobile, thus allowing the interconnection of Mac Pros and MacBook Pros.

Mac Pro to Mac Pro, Hardware Interfaces on Each Mac

Figure B depicts the Symphony setup where each Mac Pro is connected to its own set of hardware interfaces and both Macs are interconnected via SBus. Be sure to lock all hardware interfaces to a common sample clock. Also, note that hardware interfaces must be connected to the 1-32 port on the primary Mac and the 33-64 port on the auxiliary Mac. More detailed SBus configuration instructions are found on page 14.

Interconnection of 3 Macs

The interconnection of up to three Macs is supported, as depicted in **Figure C**.



Configuring Multiple Macs with SBus

Make PC-32 Connections

Designate one Mac as the “primary” computer, and connect at least one hardware interface to port 1 (Master card, Channels 1-32 port). DO NOT connect hardware interfaces to port 1 of any other Mac in the system – port 1 should be used for SBus (Mac to Mac) connections only. Either hardware or SBus connections may be made to any other available port.

These PC-32 connection details are depicted in Figure A at right.

Make Hardware Clock Connections

Even if hardware interfaces are connected to more than one Mac, make sure that they're all locked to a common sample clock, as explained on page 6.

Set Symphony Source


Set **Symphony Source** on both Macs to enable connected ports. Be sure not to enable unconnected ports, as interfaces won’t be detected correctly in Maestro. Please see page 8 for more detail concerning the **Symphony Source** setting.

Set Software Sample Rate

Set the sample rate of both Macs to the same frequency. This may be done by opening a DAW session or by opening the OSX utility Audio MIDI Setup, setting **Properties For** to **Symphony 64**, and setting **Format** to the desired sample rate.

Verify in Maestro


Open Maestro and verify that all hardware and SBus connections have been detected correctly. To check for SBus connections, open the Maestro Control window and choose **Symphony:Symphony** in the Interface drop down menu. The Mac to Mac icon shown below should appear.



Choose Symphony 64 Input and Output Labels

By choosing Maestro's default input and output labels in your DAW software (as described on page 10), the assignment of SBus connections becomes as simple as choosing an SBus output on one Mac and choosing the same number SBus input on the second Mac. If your DAW software doesn’t accept the Maestro labels, the **Symphony Source** setting is helpful to determine which software inputs and outputs correspond to SBus connections. For example, if hardware is connected to ports 1 and 2 and a second Mac is connected to port 3, the required **Symphony Source** setting is **PCI Cards 1-2, Port 1-3 (CHANNELS 1-96)**. Keeping in mind that each port has 32 channels, channels 1-64 correspond to hardware inputs and outputs and channels 65-96 correspond to SBus inputs and outputs.

Figure A



Let's look at a specific example of a Symphony system consisting of two AD-16Xs, two DA-16Xs, 1 Mac Pro and 1 MacBook Pro.

As shown at right, the required PC-32 connections are 1) from the hardware interfaces to the Mac Pro’s Sympho-ny 64 **Channels 1-32** port and 2) from the MacBook Pro’s Symphony Mobile card to the Mac Pro’s Symphony 64 **Channels 33-64** port.


- Settings are especially crucial when configuring a multi-Mac system:
- Ensure that the sample rate of both Macs is the same.
 - Set **Symphony Source** on the Mac Pro to Ports 1-2.
- Note: the **Symphony Source** setting is fixed on the MacBook Pro, as there is only one port available.

As shown in the routing diagram at right, the hardware interfaces’ inputs and outputs are routed to the Mac Pro’s software inputs and outputs 1-32, and the MacBook Pro’s software inputs and outputs 1-32 are routed to the Mac Pro’s inputs and outputs 33-64.


Provided you’ve set your software to use the Symphony driver’s input and output labels, the Mac Pro’s 33-64 inputs and outputs are labelled SBus In/Out 1-32. This makes routing signals between the Mac Pro and MacBook Pro as easy as choosing SBus Out 1-2 on one computer and SBus In 1-2 on the second computer.

To illustrate the simplicity of routing between Macs, here are the steps required to route a Logic software instru-ment running on the MacBook Pro into an auxiliary track’s input on the Mac Pro:

- In the Logic session running on the MacBook Pro, set the software instrument’s output to SBus 1-2. Because no hardware is connected to the MacBook Pro, only SBus inputs and outputs are available.




- In the Logic session running on the Mac Pro, create an auxiliary track (Options > “Create New Auxiliary Channel Strip” in the Mixer window) and set its input to SBus 1-2 and the output to SymOut 1-2. Now, the software instrument’s output is routed to the audio track’s input and then routed to the DA-16X hardware output 1-2.



Hardware Combinations - 2 AD-16Xs, 2 DA-16Xs (Standard Routing), Mac Pro, MacBook Pro


PC-32 Connections



Settings

- On the Mac Pro Set Symphony Source to PCI Card 1, Ports 1-2(ch 1-64)
- On the MacBook Pro no Symphony Source setting is available, as there is only one port. AD and DA-16Xs must be set to Standard routing.

Routing



Troubleshooting

To quickly troubleshoot your Symphony system, open Maestro software and verify that all hardware interfaces are correctly detected in the Interface drop down menu. If some or all interfaces aren’t detected, please consult the symptoms and solutions described below.

Also, check the blue and white Status LEDs on the PCIe cards’ connector panels. A white LED should be lit solidly on ALL PCIe cards and a blue LED lit solidly on ONE PCIe card (the Master card). If this isn’t the case, please consult the LED Status grid at right. If one or both white LEDs are flashing, consult the first entry below.

Symphony Symptoms and Solutions

Symptom: No hardware interfaces are detected in Maestro’s Interface drop down menu and one or more white LEDs are flashing.

Solution: Check the following clock-related items:

- Open Audio MIDI Setup (AMS) (in the Applications > Utilities folder), set **Properties For** to **Symphony 64**, and verify that the clock source shown on the first hardware interface’s front panel matches the setting made in AMS’s Clock Source drop down menu. Verify that the sample rate of the first interface matches the setting in AMS’s Format drop down menu.
- Verify that all other interfaces have switched to their word clock source, and are locked at the desired sample rates.
- Verify that all ports listed in the Source drop down menu have a hardware or SBus connection.
- If the problem still has not been identified, set **Symphony Source** to **PCI Card 1, Port 1 (Chs 1-32)** and connect only 1 interface to the Master card’s **Channels 1-32** port. Is this one interface correctly detected? If so, add interfaces and enable ports one at a time until the system is complete or a faulty component is identified.
- If one interface is still not detected after setting **Symphony Source** to **PCI Card 1, Port 1 (Chs 1-32)**, open System Profiler (Applications > Utilities), click on the Hardware disclosure triangle, click on PCIe Cards, and verify that Symphony 64 appears in the Card list, and that “Yes” appears under the Driver Installed column (see the System Profiler window at right). If Symphony 64 doesn’t appear, re-seat the PCIe card in it’s slot.

Symptom Some hardware interfaces aren’t correctly detected in Maestro.

Solution Check that the PCIe card port is enabled in the **Symphony Source** drop down menu (Maestro Control window).

- Check the PC-32 connection at the PCIe card and at the X-Symphony connector.

Symptom All audio outputs are muted.

Solution Verify that the Mute checkbox is NOT checked in Audio MIDI Setup.


Symptom The first PCIe card operates as expected, but the second PCIe card isn’t working correctly.

Solution Verify jumper settings on the second card. Verify that the card-to-card ribbon cable is installed and firmly seated in each card’s mating connector.

● BLUE LED (Master)

	ON	FLASHING	OFF
ON	Card is Master, clock is correctly configured	Undefined	Card is Slave, clock is correctly configured
FLASHING	Card is Master, clock is bad - see first Solution	Symphony driver not loaded - re-install Symphony software	Card is Slave, clock is bad - see first Solution
OFF	Undefined	Jumper setting is incorrect - check PCI card jumper settings	Card is Slave, currently disabled. Set Symphony Source to enable

○ WHITE LED (Clock)



- Symptom

- Hardware interfaces aren’t locking to word clock.
- Solution

- Check that the PCIe card port is enabled in the Symphony Source drop down menu (Maestro Control window). Check the PC-32 connection at the PCIe card and at the X-Symphony connector. Check the word clock cable and master clock source.
- Symptom

- Because my Symphony system isn’t correctly configured, no controls appear in the Maestro Control window. How can I make settings to correct the issue if they don’t appear in Maestro?
- Solution

- The **Clock Source Select** and **Symphony Source** settings are duplicated in the OS X utility Audio MIDI Setup. Open Audio MIDI Setup (found in Applications > Utilities) and set **Properties For** to **Symphony 64**. The settings **Clock Source** and **Source** will then become accessible.
- Symptom

- I see the following error message on my Mac screen: “No hardware has been detected on the (primary/secondary) port of Symphony card(s) x.”
- Solution

- If no hardware is indeed connected to the specified card and port, disable the card/port with the Sym phony Source setting. If an interface is connected but not detected, check the PC-32 connections and verify that the interface is locked and running at the desired sample rate.
- Symptom

- I see the following error message on my Mac screen:“The sample rate of hardware connected to Symphony card(s) x doesn’t match the Core Audio rate.”
- Solution

- This message is displayed when the sample rate of hardware doesn’t match the sample rate displayed in Audio MIDI Setup. This error message is most likely to occur when hardware is clocked to an external clock or an SBus connection has been made on the specified card and port. Verify that the external clock source is running at the same sample rate as the computer. If the error message occurs on a card/port with an SBus connection, verify that both computers are running at the same sample rate.
- Symptom

- I see the following error message on my Mac screen:“A bus error has occurred on the (primary/sec ondary) port of Symphony card(s) x.”
- Solution

- This error message indicates that system synchronization has been briefly lost. Carefully check that all PC-32 connections are completely and firmly inserted. Check that all hardware clock cables have no intermittant connections by phsically shaking them. Check that the PCI cards are completely and firmly inserted, and that the PCI bracket is installed. If two cards are installed, check the ribbon cable that connects the cards. Finally, verify that all hardware interfaces are clocked to one master clock source.
- Symptom

- My Maestro configuration (mixer or routing) resets when I re-start the Mac or change sample rate.
- Solution

- To load your Maestro configuration automatically when starting your Mac: 1) create the desired Maestro configuration and save it 2) drag the saved file icon into the Dock 3) Control-click the icon, and check the “Open at Login” item.

Appendix 1 - Supported Hardware Combinations


Listed from this page to page 33 are all the supported combinations of Apogee hardware interfaces *per port*.

If you have more than four interfaces to connect, distribute them across multiple Symphony 64 ports so that each group of interfaces connected to each port is a supported combination.

Hardware Combinations - Rosetta 200

This combination offers two inputs and two outputs per Symphony 64 port. Note that the Rosetta 200 ap- pears as a Rosetta 800 in Maestro software. Also note that software inputs and outputs 3-32 will appear in your DAW software, though they are unused.


PC-32 Connections



Settings

Set Symphony Source to **PCI Card 1, Port 1 (ch 1-32)**


Routing



Hardware Combinations - 1 AD-16X, 1 DA-16X (Standard or Advanced Routing)


With one AD-16X and one DA-16X connected to one Symphony 64 port, it’s possible to run both hardware interfaces in either Standard or Advanced routing. The diagrams at the bottom of this page depicts the difference between the two modes.

PC-32 Connections



Settings
Set Symphony Source to **PCI Card 1, Port 1 (ch 1-32)**
AD and DA-16Xs may be set to Standard or Advanced routing


Routing



Hardware Combinations - 1 to 4 Rosetta 800s


One to four Rosetta 800s may be connected to each Symphony 64 port. Note that your software application will always detect 32 inputs and outputs regardless of the number of Rosetta 800s connected.

PC-32 Connections



Settings
Set Symphony Source to **PCI Card 1, Port 1 (ch 1-32)**

Routing




Hardware Combinations - AD-16X, DA-16X (Standard Routing only), Rosetta 800

This combination offers 24 analog inputs and 24 analog outputs. Note that software inputs and outputs 25-32 will appear in your DAW software, though they are unused.


Hardware Combinations - 1-2 AD-16Xs (Standard or Advanced Routing)

To add only analog inputs (and digital outputs), it's possible to connect 1 or 2 AD-16Xs to a Symphony 64 port, for 16 analog inputs and 16 digital outputs per port. When the AD-16Xs are set to Standard routing, only the analog inputs are active; when set to Advanced routing, both the analog inputs and digital outputs are active (as shown in the routing diagram below).

PC-32 Connections



PC-32 Connections




Settings

Set Symphony Source to **PCI Card 1, Port 1 (ch 1-32)**
The AD and DA-16X must be set to Standard routing


Settings

Set Symphony Source to **PCI Card 1, Port 1 (ch 1-32)**
AD and DA-16Xs may be set to Standard or Advanced routing

Routing




Routing



Hardware Combinations - 1-2 DA-16Xs (Standard or Advanced Routing)


To add only analog outputs (and digital inputs) to a Symphony 64 system, it’s possible to connect 1 or 2 DA-16Xs to a Symphony 64 port for 16 analog outputs and 16 digital inputs per port. When the DA-16Xs are set to Standard routing, only the analog outputs are active; when set to Advanced routing, the analog outputs and digital inputs are active (as shown in the routing diagram below).

PC-32 Connections



Settings
Set Symphony Source to **PCI Card 1, Port 1 (ch 1-32)**
AD and DA-16Xs may be set to Standard or Advanced routing


Routing



Hardware Combinations - Rosetta 800, AD-16X (Standard Routing Only)


This combination offers 24 analog inputs and 8 analog outputs. To allow the routing of software outputs 1-2 to hardware *analog* outputs, connect the Rosetta 800 first, then the AD-16X. Note that software inputs and outputs 9-16 aren’t used, though they appear in your software program.

PC-32 Connections



Settings
Set Symphony Source to **PCI Card 1, Port 1 (ch 1-32)**
The AD-16X may be set to Standard or Advanced routing


Routing



Hardware Combinations - 1 AD-16X (Standard or Advanced Routing), Rosetta 800

This combination offers 24 analog inputs and 8 analog outputs. To allow the routing of software outputs 1-2 to hardware *digital* outputs, connect the AD-16X (in Advanced routing) first, then the Rosetta 800.

PC-32 Connections




Settings

Set Symphony Source to **PCI Card 1, Port 1 (ch 1-32)**
The AD-16X may be set to Standard or Advanced routing

Hardware Combinations - Rosetta 800, DA-16X (Standard Routing Only)

This combination offers 24 analog outputs and 8 analog inputs. If you prefer that software inputs 1-8 are analog inputs, connect the Rosetta 800 first. Note that software inputs/outputs 9-16 aren’t used, though they appear in your software program.

PC-32 Connections




Settings


Set Symphony Source to **PCI Card 1, Port 1 (ch 1-32)**
The DA-16X may be set to Standard or Advanced routing

Routing

AD16X STANDARD ROUTING




AD16X ADVANCED ROUTING




Routing

STANDARD ROUTING




DA16X ADVANCED ROUTING



Hardware Combinations - DA-16X (Standard or Advanced Routing), Rosetta 800


This combination offers 24 analog outputs and 8 analog inputs. When the DA-16X is connected first, the Rosetta 800 may be clocked from the DA-16X.

PC-32 Connections



Settings
Set Symphony Source to **PCI Card 1, Port 1 (ch 1-32)**
The DA-16X may be set to Standard or Advanced routing


Routing



Hardware Combinations - 2 Mac Pros, 1 AD-16X, 1 DA-16X per Mac


This combination depicts the interconnection of two Mac Pros, each being connected to a pair of AD-16X/DA-16X hardware interfaces. As long as both systems are running at the same sample rate, they can be operated independently.

PC-32 Connections



Settings
On the first Mac Pro, set **Symphony Source** to **PCI Card 1, Ports 1-2 (Chs 1-64)**
On the second Mac Pro, set **Symphony Source** to **PCI Card 1, Ports 1-2 (Chs 1-64)**
AD and DA-16Xs may be set to Standard or Advanced routing


Routing



Hardware Combinations - 8 AD-16Xs, 8 DA-16Xs (Standard Routing only)

This combination shows the maximum number of AD-16X and DA-16X interfaces that may be connected to two Symphony 64 PCI cards. Such a system offers 128 channels of analog inputs and 128 channels of analog outputs.


PC-32 Connections



Settings

- Set Symphony Source to **PCI Cards 1-2, Ports 1-4 (ch 1-128)**
- Set the AD and DA-16Xs to Standard routing

Hardware Combinations - 8 AD-16Xs, 8 DA-16Xs (Standard Routing only)






Maestro Control Window
Settings Pane

Apogee’s Maestro software provides control, routing and low latency mixing functionality for the Symphony 64 system. The application consists of two windows, Maestro Control and Maestro Mixer.

- 1 **Interface Drop Down Menu** – The Interface drop down menu, found in the upper left corner of each Maestro window, is used to select the Apogee interface whose settings are displayed in the Maestro window. Details of the Interface drop down menu are shown below:



- 2 **Identify Unit** – This feature is disabled when interfaces connected via Symphony PCIe are selected.
- 3 **Clock Source Select** (This setting is duplicated in Audio MIDI Setup as **Clock Source**) - This drop down menu is used to set the clock source of the first hardware interface connected to the Master PCI card’s Channels 1-32 port. When set to **Internal**, the selected interface derives clock from an internal crystal; when set to **External**, clock source selection varies with each Apogee interface, as described below.

Rosetta 800/200 – When set to **External**, the specific source (**ADAT/SMUX, AES or WC** input) must be manually selected on the Rosetta’s front panel.
AD-16X – When set to **External**, the AD-16X accepts clock from its Word Clock input.
DA-16X – When set to **External**, the specific source (**WC or Input**) must be manually selected on the DA-16X’s front panel.


If any other interface but the first is selected in the Interface drop down menu, this setting will be greyed out.

- 4 **Symphony Source** (This setting is duplicated in Audio MIDI Setup as **Source**) - This drop down menu selects PCIe card ports to be enabled for use. Ports that have a PC-32 connection to hardware interfaces or another Mac should be enabled, while unconnected ports should NOT be enabled.

If only port 1 is used, set **Symphony Source** to **PCI Card 1, Port 1 (CHANNELS 1-32)**
If ports 1 and 2 are used, set **Symphony Source** to **PCI Card 1, Port 1-2 (CHANNELS 1-64)**
If ports 1,2 and 3 are used, set **Symphony Source** to **PCI Cards 1-2, Port 1-3 (CHANNELS 1-96)**
If ports 1,2,3 and 4 are used, set **Symphony Source** to **PCI Cards 1-2, Port 1-4 (CHANNELS 1-128)**

For space considerations, the ports are numbered 1 to 4 in the **Symphony Source** drop down menu. **Figure C**, shown on page 9, indicates the number assigned to each port.

If an unconnected port is enabled, no interfaces will appear in Maestro. Make sure that all enabled port have a PC-32 connection to an interface or another Symphony-equipped Mac.



Maestro Control Window
Settings Pane

5 VBus Selections - Apogee’s **VBus** creates virtual hardware buses to allow expanded routing of audio within one application or between different audio applications. For example, it’s possible in Logic Pro to record a submix of multiple audio tracks onto a new audio track as described below. It’s also possible to route between two audio applications by selecting a VBus output in the source application and a VBus input in the destination application.

To engage **VBus**, open Apogee’s Maestro application, select one of the Apogee interfaces connected to the Symphony PCIe card, and open the Maestro Control window. In the **VBUS Selections** drop down menu, select the number of virtual buses desired.

6 In order for VBus I/O to appear in your audio application’s I/O list as **VBus In 1-2, 3-4**, etc, it’s necessary to specify the use of the Symphony driver’s names in the application’s I/O list. For example in Logic Pro, open **Audio>Audio Configuration>View>I/O Labels** and option-click on all the I/O found under the **Driver’s I/O Label** column.

As an example of how to use VBus, let’s record a submix of drums onto a new stereo audio track in Logic.

First, open Maestro and select **8 Channels** under the **VBus Selections** menu.



7 In Logic’s Track Mixer, set the outputs of the individual drum audio tracks to **VBout 1/2**. Create two audio tracks (or one stereo track) and set their inputs to **VBin 1** and **VBin 2**. Record-enable the new track and commence recording. The new track will record the mix of the individual drum tracks.

8 Performance Tuning allows the adjustment of Symphony driver buffers to take advantage of the latest Intel Macs’ increased CPU power.

Set **Performance Tuning** to **High Performance** when using Symphony 64 on an Intel Mac. This reduces buffer sizes and ensures the lowest latency through the Symphony system.

Set **Performance Tuning** to **Standard** when software buffer settings won’t resolve clicking and popping issues.

Performance Tuning is set in addition to the buffers typically found in digital audio applications. If audible clicks and pops are encountered, first raise the driver buffer size in the audio application. Apogee’s extensive testing of this driver indicates that software buffers will “run out” before the Symphony driver buffers controlled by **Performance Tuning**. If problems persist set **Performance Tuning** to **Standard**.



Maestro Mixer Window

Input, Output and Mixer Panes

Input and Output Panes

The Input and Output Routing panes consist of an intuitive routing grid on which connections between hardware and software I/O are depicted and modified visually.

Connections are depicted by grey connection icons **L R** at the intersection of a hardware I/O column and a software I/O row. To modify a connection, place the cursor over the grid at the intersection of the desired hardware I/O column and software I/O row, and click on the highlighted grid position. The grey connection icon will shift into the new position to indicate that the desired connection has been made.

As an example, the default state of the Input routing pane with a connected AD-16X is shown in figure 1. The AD-16X’s hardware inputs are displayed across the top of the grid, while software inputs are displayed to the left of the grid. The grey connection icons, labelled L and R, are placed such that hardware inputs **Hardware In 1** and **2** are connected to software **SymIn 1/2**, hardware inputs **Hardware In 3** and **4** are connected to software **SymIn 3/4**, and so on.

Input Pane

The Input pane serves to connect hardware inputs to software inputs, as shown in figure 2. The following controls are found in the Input pane:

- 1 **Interface Menu** – These controls, found at the top of the Input, Output and Mixer panes, are identical to those found in the Maestro Control window described on page 36.
- 2 **Matrix** – The settings in these drop down menus define how software inputs are formatted in the routing grid:

Mono - software inputs are formatted as Mono signal paths.
Stereo - software inputs are formatted as Stereo signal paths.
Off - the signal path is deactivated.
- 3 **Input** – This column displays the software inputs available for routing. Software input names may be modified by clicking on the triangle to the left of the Matrix to reveal a text entry box. For these names to appear in your audio application’s I/O list, it’s necessary to specify this in the audio application. For example, in Logic choose **Options > Audio > I/O Labels** and option-click on the first entry in the **Provided by Driver** column
- 4 **Hardware In** – This row displays the hardware inputs available for routing.
- 5 **Mixer A In, Mixer B In** – It’s possible to route the output of either the A or B mixer (found in the Mixer pane) back into the software application. For example, when hardware synths are connected to the hardware inputs of an Apogee interface, it’s possible to mix these synths using the Maestro mixer and record the mix in your software application by assigning either the **Mixer A In** or **Mixer B In** to a software path.

Input Pane

Figure 1






Figure 2



Output Pane

The Output routing pane is functionally similar to the Input pane, but used to make connections between software and hardware outputs, as depicted below. Software outputs are displayed to the left of the grid and hardware outputs are displayed across the top of the grid.



- 1

Matrix – The settings in these drop down menus define how software outputs are formatted in the routing grid:



 - Mono** - Software outputs are formatted as Mono signal paths.
 - Stereo** - Software outputs are formatted as Stereo signal paths.
 - Off** - the signal path is deactivated.
- 1a

(Hardware Input) Direct - this setting, unique to the Output pane, provides a signal path to route hardware inputs directly to hardware outputs. For example, it’s possible to route AD-16X analog inputs directly to DA-16X analog outputs. This configuration is shown in the lower routing page example shown at right.
- 2

Output – This column displays the software outputs available for routing. Software output names may be modified by clicking on the triangle to the left of the Matrix to reveal a text entry box. For these names to appear in your audio application’s I/O list, it’s necessary to specify this in the audio application. When the Mixer output is routed to hardware outputs (using the **To Hardware** drop down), the label **Mixer A** (or **Mixer B**) appears in this column.
- 3

Hardware Out - This row displays the hardware outputs available for routing.

Output Pane



Working with the Input, Output and Mixer Panes

While configuration of the Input and Output panes is quite intuitive, there are a few details to be aware of:

- 1
- One Hardware Input, Multiple Software Inputs - In the Input pane it is possible to route one hardware input to multiple software inputs simply by clicking down the desired hardware input column and across the desired software inputs, as shown at right. For the recording situation where one microphone is routed to several software tracks (say, when recording backing vocals), the necessary changes are accomplished more quickly in the Input routing pane than in your software application.
- 2
- One Software Output, Multiple Hardware Outputs - In the Output pane it is possible to route one software output to multiple hardware outputs by holding down the **Control** key while clicking across the desired software output row and under the desired hardware outputs, as shown at right.



AD-16X (Standard Routing) - When an AD-16X in Standard routing mode is selected in the Interface menu, the Output pane is blank, reflecting the fact that there are no signal paths from software outputs to AD-16X outputs while it is set to Standard routing.

DA-16X (Standard Routing) - Likewise, when a DA-16X is selected, the Input pane is blank; there are no signal paths from DA-16X inputs to software inputs while the interface is set to Standard routing.

AD-16X (Advanced Routing) - When the AD-16X is set in Advanced routing, the Input pane is used to route the AD-16X’s analog inputs to software inputs, and the Output pane is used to route software outputs to the AD-16X’s AES and ADAT/SMUX outputs.

DA-16X (Advanced Routing) - When the DA-16X is set in Advanced routing, the Input pane is used to route the DA-16X’s AES or ADAT/SMUX digital inputs (as selected on the unit’s front panel) to software inputs, and the Output pane is used to route software outputs to the DA-16X’s analog outputs.

Maestro Mixer Window



Maestro Mixer
An Overview

Before describing the functions of Maestro’s Mixer pane, a bit of background information concerning latency and computer-based digital recording setups will help to better understand these Mixer functions.

When recording with most computer-based digital audio applications, the delay between the input and output of the recording system often disturbs the timing of the musicians who are performing. This delay, known as latency, means that the musician hears the notes he produces a few milliseconds after having produced them. As anyone who has spoken on a phone call with echo knows, relatively short delays can confuse the timing of any conversation, spoken or musical.

To illustrate the effect of latency, figure A depicts the typical signal path of a vocal overdub session. A vocalist sings into a microphone, which is routed to an analog to digital converter, then to the audio software application for recording. In the software application, the vocalist’s live signal is mixed with the playback of previously recorded tracks, routed to a digital to analog converter, and finally to the vocalist’s headphones. A slight delay accumulates at each conversion stage, while a much greater amount of delay occurs through the software application, resulting in the vocalist hearing his performance in the headphones a few milliseconds later.




Figure A

Maestro Mixer
An Overview

By routing the hardware input directly to the hardware output and mixing in playback as shown in Figure B, it’s possible to provide the vocalist a headphone monitoring signal with a much shorter delay.

First, the signal being recorded (in this case, a vocal mic) is split just after the A/D stage and routed to both the software application for recording and directly back to the hardware outputs *without* going through the latency-inducing software; this creates a low latency path from mic to headphones. Next, a stereo mix of playback tracks is routed to the low latency mixer and combined with the hardware input(s). This allows the performer to hear himself without a confusing delay while listening to playback tracks in order to record overdubs.

Note that the software application’s mixer is used to set a stereo mix of playback tracks while the low latency mixer is used to set the balance between the stereo playback mix and the hardware inputs.





Figure B

Maestro Mixer Window


Mixer Pane

As described in the previous section, the Maestro mixer serves to blend hardware inputs with software outputs (playback from your Mac), and route the mix directly to hardware outputs, as depicted below.



- 1 **Mixer Select (A-B)** – This drop down menu selects between the two available mixers per Symphony 64 card.
- 2 **Input Channels** – Hardware inputs of the selected interface (under the Interface menu) are the source for the Maestro mixer inputs.
- 3 **Pan** – This slider pans the input signal between the left and right channels of the Maestro mixer output.
- 4 **Pan Value Window** – The pan value (where full left is designated <64, center is <0> and full right is 64>) is displayed in this window.
- 5 **Level Fader** – This slider sets the level at which the input signal is mixed to the Maestro mixer output.
- 6 **Level Value Window** – The Level value (between “Muted” and +6) is displayed in this window.
- 7 **Meter** – This bargraph style meter displays the pre-fader input level.
- 8 **Mute** – This button mutes the input channel.
- 9 **Solo** – This button solos the input channel, thereby muting all channels whose Solo buttons are not engaged.

Maestro Mixer Window



- 10 **From Mac** – This stereo input channel provides level control, metering and mute/solo functions for a playback signal from the software application. Match the software application’s mixer output and the **From Mac** drop down menu selection. In most cases the software mixer output and **From Mac** are both set to outputs 1-2.
- 11 **To Hardware** – This stereo output channel provides a level fader, metering and a routing drop down menu for controlling the stereo output of the Maestro mixer. Select the hardware output to which the Maestro mixer output should be routed. In most cases **To Hardware** is set to hardware outputs 1-2.

When **To Hardware** is set to **None**, the Maestro mixer is removed from the signal path, and the connection between the software and hardware output is determined in the Output routing pane.

When **To Hardware** is set to any hardware output (i.e any other setting), the source for that pair of hardware outputs is now the Maestro mixer output; the previous routing is interrupted. This is indicated on the Output pane’s Matrix column, which automatically changes to Mixer Out for that pair of hardware outputs.

Maestro Mixer Window

Each Symphony 64 PCIe card includes 2 independent mixers, **Mixer A** and **Mixer B**. This allows two completely independent low latency mixes to be routed to different hardware outputs, as depicted in the diagram at right.

Additional hardware interfaces connected to the Symphony 64 card provide additional inputs to each Maestro mixer. These inputs are distributed across multiple mixer panes, accessed with the Interface drop down menu. Keep in mind that each mixer only has one **From Software** and **To Hardware** channel, which don’t change when a new Interface drop down menu selection is made.



When multiple Symphony 64 cards are installed, the mixers on each card remain independent. Thus, with two PCIe cards installed, four mixers are available:

- Card 1 Mixer A
- Card 1 Mixer B
- Card 2 Mixer A
- Card 2 Mixer B


Card 1’s mixers can access only the hardware inputs and outputs connected to Card 1, and Card 2’s mixers can access only the hardware inputs and outputs connected to Card 2. It’s not possible to mix hardware inputs connected to Card 1 to hardware outputs connected to Card 2 (and vice versa).

Working with the Maestro Mixer and your software application

When monitoring through the Maestro mixer, it’s necessary to configure your software application to mute output when Record is engaged, so that the performer only hears himself via the low latency signal path while recording. In Logic this is accomplished quite simply by choosing **Logic Pro > Preferences > Audio**, selecting the **Devices** tab, then the **Core Audio** tab, and unchecking the **Software Monitoring** box, as shown in the Logic window at right.



Maestro
Menu by Menu




Maestro> About Maestro
Selecting this menu item opens the window shown at right, which indicates various software and firmware versions.



Maestro > Preferences

Selecting this menu item opens the Preferences window, in which mixer control actions may be defined.



Rotary Controls

Mouse motion – This selection defines the motion of the mouse required to adjust rotary controls.
Fine adjust key – This selection defines the key command to make fine adjustments to any rotary control.

Fader Controls

Fine adjust key - This selection defines the key command to make fine adjustments to any fader control.

0dB key – This selection defines the key command to set the fader to 0 dB when clicking in the level value window.

Ungroup faders - This selection defines the key command to adjust one side of the stereo **From Mac** and **To Hardware** faders.

Pan Controls

Fine adjust key - This selection defines the key command to make fine adjustments to any pan control.
Center - This selection defines the key command to set the pan control to <0>, or center, when clicking in the pan value window.

Other

Mute/Solo all - This selection defines the key command to engage all Mutes or Solos when clicking on the Mute or Solo buttons.


Additional Preferences

Launch Maestro automatically when connecting a device - When this box is checked, Maestro is launched automatically when an Apogee device is detected.

Maestro
Menu by Menu



Maestro > Hide Maestro
Choosing this menu item hides the Maestro application.
Maestro > Hide Others
Choosing this menu item hides all other open applications.
Maestro > Show All
If Hide Others has been previously selected, choosing this menu item reveals all open applications in the Finder.
Maestro > Quit Maestro
Choosing this menu item closes the Maestro program.




File:

File > Open
Choose this menu item to navigate to a previously saved Maestro configuration file and open it.
File > Open Recent
Choose this menu item to re-open a recently opened Maestro configuration file.
File > Close Window
Choose this menu item to close the “active”, or up-front, window.
File > Save
Choose this menu item to save the current settings of all windows.
File > Save As
Choose this menu item to save the current settings of all windows as a newly named file.



Tools:


Tools > Maestro Control
Choosing this menu item opens the Maestro Control window.
Tools > Maestro Mixer
Choosing this menu item opens the Routing/Mixer window.
Tools > Reset Symphony Clocking
In certain instances Apogee interfaces can’t be detected until the clock setting of the first interface has been reset. Choosing **Reset Symphony Clocking** allows the reset of clock source on the first interface to **Internal** or **External**.
Tools > Refresh Connections
Choosing this menu item re-scans computer connections for connected Apogee hardware.
Tools > Reset Mixer
Maestro mixers may be reset with this menu item; choose **Reset Displayed** to reset the mixer displayed in the Maestro Mixer window; choose **Reset All** to reset all mixers.
Tools > Reset Routing
Choosing this menu item resets the Input and Output panes to a “pass through” configuration, where hardware and software I/O are connected on a one to one basis.



Window:


Window > Minimize
Choosing this menu item minimizes the up-front window to the OS Dock.
Window > Zoom
Choosing this menu item maximizes the size of the active Maestro window.
Window > Bring All to Front
Choosing this menu item places all Maestro windows in front of other applications’ windows.

Installing the X-Symphony card





Your X-Symphony card should include the following:

- 1 X-Symphony circuit card
- 1 X-Symphony Coverplate
- 2 aluminium standoffs
- 1 plastic standoff



- 1 Remove the top cover of the host interface.
- 2 Remove the Option Card coverplate, and set aside the screws for later use.
- 3 Remove the two interface circuit board screws indicated at left, and set them aside for later use
- 4 Install the two aluminium standoffs in the threaded holes vacated by the screws.
- 5 On the X-Symphony card, install the plastic standoff in the hole adjacent to the multi-pin motherboard connector.
- 6 Insert the Port connector end of the X-Symphony card through the host unit back panel, and carefully place the multi-pin motherboard connector in the mating connector found on the host interface motherboard.
- 7 After verifying the alignment of the multi-pin and the mating connectors, firmly press down on the X-Symphony card, over the connector, until the pins are completely seated in the mating connector.
- 8 Re-install the circuit board screws from Step 3 in the locations indicated below.
- 9 Install the X-Symphony coverplate, and secure it to the host interface using two screws from Step 2.
- 10 Replace the top cover of the host interface.



Registration and Warranty Information

Be sure to register your Symphony PCIe card, either by filling in the enclosed Registration Card or by completing the on-line registration form at our Web site: <http://www.apogeedigital.com/support/>. If you do so, Apogee can contact you with any update information. As enhancements and upgrades are developed, you will be contacted at the registration address. Firmware updates are free for the first year of ownership unless otherwise stated. Please address any inquiries to your dealer or directly to Apogee at:

APOGEE ELECTRONICS CORPORATION,
1715 Berkeley St, Santa Monica, CA 90404, USA.
TEL: (310) 584-9394, FAX: (310) 584-9385
email: support@apogeedigital.com. Web: <http://www.apogeedigital.com/>

APOGEE ELECTRONICS CORPORATION warrants this product to be free of defects in material and manufacture under normal use for a period of 12 months. The term of this warranty begins on the date of sale to the purchaser. Units returned for warranty repair to Apogee or an authorized Apogee warranty repair facility will be repaired or replaced at the manufacturer’s option, free of charge.
ALL UNITS RETURNED TO APOGEE OR AN AUTHORIZED APOGEE REPAIR FACILITY MUST BE PREPAID, INSURED AND PROPERLY PACKAGED, PREFERABLY IN THEIR ORIGINAL BOX. Apogee reserves the right to change or improve design at any time without prior notification. Design changes are not implemented retroactively, and the incorporation of design changes into future units does not imply the availability of an upgrade to existing units.

This warranty is void if Apogee determines, in its sole business judgment, the defect to be the result of abuse, neglect, alteration or attempted repair by unauthorized personnel.

The warranties set forth above are in lieu of all other warranties, expressed or implied, and Apogee specifically disclaims any and all implied warranty of merchantability or of fitness for a particular purpose. The buyer acknowledges and agrees that in no event shall the company be held liable for any special, indirect, incidental or consequential damages, or for injury, loss or damage sustained by any person or property, that may result from this product failing to operate correctly at any time.

USA: Some states do not allow for the exclusion or limitation of implied warranties or liability for incidental or consequential damage, so the above exclusion may not apply to you. This warranty gives you specific legal rights, and you may have other rights which vary from state to state.

Service Information

The Symphony PCI card contains no user-serviceable components: refer to qualified service personnel for repair or upgrade. Your warranty will be voided if you tamper with the internal components. If you have any questions with regard to the above, please contact Apogee.

In the event your Symphony PCIe card needs to be upgraded or repaired, it is necessary to contact Apogee prior to shipping, and a Return Materials Authorization (RMA) number will be assigned. This number will serve as a reference for you and helps facilitate and expedite the return process. Apogee requires that shipments be pre-paid and insured — unless otherwise authorized in advance.

IMPORTANT: ANY SHIPMENT THAT IS NOT PRE-PAID OR IS SENT WITHOUT AN RMA NUMBER WILL NOT BE ACCEPTED.

Warnings

FCC warning

This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference when operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference, in which case the user will be required to take whatever measures necessary to correct the interference at his own expense.

Copyright Notice

The Apogee Symphony PCIe card is a computer-based device, and as such contains and uses software in ROMs. This software, and all related documentation, including this User’s Guide contain proprietary information which is protected by copyright laws. All rights are reserved. No part of the software and its related documentation may be copied, transferred, or modified. You may not modify, adapt, translate, lease, distribute, resell for profit or create derivative works based on the software and its related documentation or any part thereof without prior written consent from Apogee Electronics Corporation, U.S.A.

OWNER’S RECORD

The serial number is located on the rear panel of the unit. We suggest you record the serial number in the space provided below. Refer to it whenever you call an authorized Apogee Electronics repair facility or the manufacturer. Please be sure to return your completed warranty card immediately!

Symphony PCIe card Serial No. _____

Purchase Date _____

Dealer _____

Phone _____

Address _____

CAUTION:

Any changes or modifications not expressly approved by APOGEE ELECTRONICS CORPORATION could void your authority to operate this equipment under the FCC rules.

Please register this unit by filling in the included registration card, or registering online at <http://www.apogeedigital.com/support/register.php> Please read this manual – if you call for technical support, we’ll assume that you have. There will be a quiz.

Declarations of Conformity

This device complies with Part 15 of the FCC Rules.

Operation is subject to the following two conditions:

- 1. This device may not cause harmful interference
- 2. This device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits of a Class A digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful inteference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Re-orient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a different circuit from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

NOTE: The use of non-shielded cable with this equipment is prohibited.

CAUTION: Changes or modifications not expressly approved by the manufacturer responsible for compliance could void the user’s authority to operate the equipment.

Apogee Electronics Corporation, Betty Bennett, CEO.

Industry Canada Notice

This Class A digital apparatus meets all requirements of the Canadian Interference-Causing Equipment Regulations. Cet appareil numérique de la classe B respecte toutes les exigences du Règlement sur le matériel brouilleur du Canada.

Declaration of Conformity – CE

Apogee Electronics Corporation hereby declares that the product, the Symphony PCIe card, to which this declaration relates, is in material conformity with the following standards or other normative documents:

- EN 55022-1:1998
- EN 55024-2:1998

Declaration of Conformity – Japan

Apogee Electronics Corporation hereby declares that the Symphony PCIe card, to which this declaration relates, is in material conformity with the VCCI Class A standard.

Declaration of Conformity – Australia

Apogee Electronics Corporation hereby declares that the Symphony PCIe card is in material conformity with AN/NZS standard requirements.



Symphony 64 PCIe Card User's Guide - v1.1 November 2008

Text conceived *and* delivered by: Roger Robindoré

Graphics and illustrations by: Shaun Rust, Sean McArthur

